

HAND BOOK OF THE
WORLD CONGRESS ON
THE SQUARE OF OPPOSITION III



American University of Beirut, Lebanon
June 26-30, 2012

Edited by
Jean-Yves Béziau and Katarzyna Gan-
Krzywoszyńska

www.square-of-opposition.org

Contents

1 Third World Congress on the Square of Opposition

1.1 The Square: a Central Object for Thought

1.2 Aim of the Congress

1.3 Scientific Committee

1.4 Organizing Committee

2 Plenary Lectures:

MUSA AKRAMI Iranian Logicians on the Exceptions to the Existential Import

MIHIR CHAKRABORTY AND LOPADRUMA CHAUDURY The Square of Opposition and Visual Cognition

SALOUA CHATTI Avicenna on Possibility and Necessity

RAFFAELA GIOVAGNOLI Epistemological Reflections on the Fregean Square of Opposition

RENATA PEREIRA DE FREITAS AND JORGE PETRUCIO

VIANA De Morgan, Peirce and the Square

BORA KUMOVA To What Extent do Knowledge Models Exploit the Square of Opposition or its Extensions?

OLIVER KUTZ Logical Pluralism and the Square of Opposition in Formal Ontology

AMIROUCHE MOKTEFI Some 19th Century Structures of Opposition

FRANÇOIS NICOLAS On the Hexagon of Opposition in Music

CLAUDIO PIZZI Contingency Logics and Modal Squares of Opposition

HENRI PRADE A Hexagonal View of Artificial Intelligence

JEAN SALLANTIN A Formal Structure of Global Debates by n-Opposition Logics

PETER SCHROEDER-HEISTER Towards a Calculus of Squares

3 Abstracts of Contributors

LEILA AMGOUD AND HENRI PRADE Square of Oppositions and Hexagons in Argumentation

PETER ARNDT Higherdimensional Oppositions from Proof-Theory

MICHAEL ARNDT AND LUCA TRANCHINI A Square of Oppositions Arising from the Comparison of Gentzen's Natural Deduction and Sequent Calculus

RAINHARD BENGEZ The Logic of Paradoxes: Its Root in Legal Practices and its Evolutionary Multi-valued Character

HILAN BENSUSAN AND ALEXANDRE COSTA-LEITE Antilogic, Counterlogic and the Square of Opposition

JEAN-YVES BÉZIAU Under the Sign of the Hexagon

VERONIQUE BRIÈRE L'image, le signe, le réel : unités et consistances de l'objet poétique chez Aristote

JUAN MANUEL CAMPOS BENÍTEZ The Medieval Octagon of Opposition for Sentences with Quantified Predicates

WALTER CARNIELLI Groups, not Squares: Exorcizing a Fetish

FARES CHALABI Square of Expressions

SALOUA CHATTI AND FABIEN SCHANG YES

TIMOTHY, THEY ARE VALID LOGICAL SQUARES

DAVIDE CIUCCI, DIDIER DUBOIS AND HENRI PRADE
 Rough Sets and the Square of Opposition

PAUL J. E. DEKKER Heraklitean Oppositions

MARIA GIULIA DONDERO AND CAROLINE JULLIEN
 Between the Finite and the Infinite: What Kind of
 Negation?

ROBERT L. GALLAGHER Aristotle on Contrariety in
Metaphysics 10

KATARZYNA GAN-KRZYWOSZYNSKA AND PIOTR
 LESNIEWSKI The Square of Ontological Questions: a
 Flexible Erotetic Cure for *Mathematosis*?

STAMATIOS GEROGIORGAKIS Mereological Hexagons for
 the so-called Paradox of Epimenides

DALE JACQUETTE Logical Contingency in William of
 Sherwood's Modal Square of Opposition

DANY JASPERS Generalized Asymmetry in the Natural
 Language Lexicon: Quantifiers, Colour Terms and
 Number Words

PRIYEDARSHI JETLI The Hexadecagon of Opposition
 Applied to the Definition of 'Knowledge'

CHRIS JOHNS Leibniz and the Square: A Deontic Logic
 for the *Vir Bonus*.

JACEK KORNAK Roland Barthes' Semiotic Square of
 Opposition

JULIETTE LEMAIRE Is Aristotle the Square of
 Opposition's Father?

JOHN N. MARTIN The Analysis of Truth in the *Port Royal*
Logic: Extension and Distribution

ANDRES BOBENRIETH MISERDA The many faces of
 inconsistency

HAMDİ MLIKA The Concept of Logical Contradiction
 according to Al-Katibi Qazwyny in his Risalah
 Shamsyya and the Square of Oppositions
 ALESSIO MORETTI A Morphogenetic Map of the 'Hybrid
 Hexagons' of the Oppositional Tetrahedron
 MARCEL QUARFOOD Elucidating Kant's Antinomies with
 the Hexagon of Opposition
 ERIKA RUGGERI Is there a logic? Phenomenology of a
 Press Review
 FABIEN SCHANG A Dynamification of Opposition
 MARCIN J. SCHROEDER Algebraic Representations of
 Syllogistic and the Square of Opposition for the Logic of
 Information
 FATEMAH AYATOLLAH ZADEH SHIRAZI 4-Tuples
 of Transformation Semigroups Satisfying Condition of
 Square of Opposition
 FABIO ELIAS VERDIANI TFOUNI Interdiction and Silence:
 a Traditional Reading in the Square of Opposition
 Harld Stamm Context-dependent Aristotelian
 syllogistics, closure structures and topologized
 generalized quantifier
 Myrai Yazgan Avaktavyam and opposition
 ELIA ZARDINI Naive Restricted Quantification
 HEDDE ZEIJLSTRA Negative Universals: Understanding
 the Nall Problem
 BENMISSI ZOUBEIDA L'application du quaterne INRC sur
 la logique interpropositionnelle chez Piaget
 RICHARD ZUBER An Application of Dual Quantifiers

Sponsors

Notes

1.1. The Square : a Central Object for Thought

The square of opposition is a very famous theme related to Aristotelian logic dealing with the notions of opposition, negation, quantification and proposition. It has been continuously studied by people interested in logic, philosophy and Aristotle during two thousand years. Even Frege, one of the main founders of modern mathematical logic, uses it.

During the 20th century the interest for the square of opposition has been extended to many areas, cognitive science ultimately.

Some people have proposed to replace the square by a triangle, on the other hand the square has been generalized into more complex geometrical objects: hexagons, octagons and even polyhedra and multi-dimensional objects.

1.2.Aim of the Congress

This will be the 3rd world congress organized about the square of opposition after very succesful previous events, in Montreux, Switzerland in 2007 and in Corté, Corsica in 2010.

The square will be considered in its various aspects. There will be talks by the best specialists of the square and this will be an interdisciplinary event gathering people from various fields: logic, philosophy, mathematics, psychology, linguistics, anthropology, semiotics. Visual and artistic representations of the square will also be presented. There will be a music show and a movie illustrating the square.

The meeting will end by a final round square table where subalterned people will express their various contrarities, subcontrarities and contradictions.

1.3. Scientific Committee

- RENÉ GUITART, *Dpt of Mathematics, University of Paris 7, France*
- LARRY HORN, *Dpt of Linguistics, Yale, USA*
- DALE JACQUETTE, *Dpt of Philosophy, University of Bern, Switzerland*
- DOMINIQUE LUZEAUX, *DGA, Ministry of Defence, Paris, France*
- ALESSIO MORETTI, *Dpt of Philosophy, University of Nice, France*
- TERENCE PARSONS, *Dept of Philosophy, UC Los Angeles, USA,*
- STEPHEN READ *School of Philosophical and Anthropological Studies, University of Saint Andrews, Scotland*
- HARTLEY SLATER, *Dpt of Philosophy, University of Western Australia*
- HANS SMESSAERT, *Dpt of Linguistics, Catholic University of Leuven, Belgium*
- JAN WOLENSKI, *Dept of Philosophy, Krakow, Poland*

1.4 Organizing Committee

- JEAN-YVES BÉZIAU, *University of Brazil, Rio de Janeiro Brazil*
- RAY BRASSIER, *Chair of the Department of Philosophy, American University of Beirut, Lebanon*
- CATHERINE CHANTILLY, *Brazilian Academy of Philosophy, Brazil*
- HIBA I.HAMMOUD, *Executive Officer of the Center for Advanced Mathematical Sciences, American University of Beirut, Lebanon*
- KATARZYNA GAN-KRZYWOSZYNSKA, *Adam Mickiewicz University, Poland*
- WAFIC SABRA, *Director of the Center for Advanced Mathematical Sciences, American University of Beirut, Lebanon*
- FABIEN SCHANG, *Archives Poincaré, Nancy, France*
- JURGIS SKILTERS, *University of Latvia, Riga*

2 Plenary Lectures:

Iranian Logicians on the Exceptions to the Existential Import

MUSA AKRAMI

*Islamic Azad University-Science and Research Branch of
Tehran, Iran*

`musa.akrami@srbiau.ac.ir`

Iranian logicians, from Farabi to contemporary scholars of both the seminary and the university, have made great contributions to the “square of opposition” in five important fields: 1) exhaustive study of the opposition between both the concepts and the propositions, 2) giving explicit detailed account of those oppositions about which no explicit explanation can be found in Aristotle’s writings, e.i. subcontrariety and subalternation, and properly naming them, 3) closely scrutinizing the existential import (or the principle of presupposition) as the necessity of priority of subject’s existence over predicate’s existence for the subject, being used in affirmative categorical propositions in which the existence of the subject is necessary, 4) detailed inquiry into the exceptions of the existential import, and 5) comparing modern logic and classical logic in terms of the existential import, trying to resolve the disagreement between them in the foundations and implications of this principle.

Defining and clarifying the existential import as an axiom or self-evident principle or necessary rule (according to various perspectives of different philosophies), with its own ontological and epistemological explanations, the author concentrates on the inquiries into its exceptions. This principle has been applied by Iranian philosopher-logicians in several topics such as the truth of the affirmative propositions, mental existence, affirmedness of the possible non-existent, and nonaddition of existence to essence. Instead, its application to some other topics (e.g. predication of existence on essence or attribution of existence to essence) may bring about serious difficulties. Intellectual efforts of Iranian scholars at solving the related problems have formed an important chapter of the history of logic that will be critically reviewed in the paper.

The Square of Opposition and Visual Cognition

MIHIR KUMAR CHAKRABORTY

LOPAMUDRA CHAUDHURY

University of Kolkata, India

Mihirc4@gmail.com

The focus of this paper is on visual images of the categorical propositions involved in the square of opposition. Although diagram has been used in logic and mathematics from antiquity it is only recently that system of diagrams is being considered as logic. The credit mainly goes to Sun Joo Shin whose Ph. D. dissertation re-opens the debate after Euler, Venn and Pierce. We have argued in some of our earlier papers that diagrams as the language of a logic have got an edge over strings if these (the diagrams) help in mental clarity, are rather simple and capable of expressing cognitive complexes visually. The square of opposition contains three opposites viz. contradiction, contrary and subcontrary. We shall examine the existing diagrams (squares , hexagons, octagons etc.) from the angle of representing the above oppositions visually.

We then present four possibilities of the relationship between an individual and two mutually exclusive concepts , present their visual representations and investigate into similarities with the square of opposition with respect to categorical propositions. A particular case of this arises when we take a concept and its negative concept. This study converges into an account of negation as absence of an individual in a concept. “Absence” will be considered as a positive category as

was the practice in ancient Indian discourses in logic. What would be the shape of opposition in terms of absence (instead of propositional negation) is an interesting query.

Visual representation of oppositions in presence of modalities shall also be touched upon. We shall see clear visuals of interior, exterior and boundary of a set and various negations generated thereby.

Avicenna on Possibility and Necessity

SALOUA CHATTI

University of Tunis, Tunisia

salouachatti@yahoo.fr

In this paper I analyze Avicenna's theory on modalities and modal oppositions. My problem is: How does Avicenna define possibility, impossibility and necessity? What oppositional relations are there between modal propositions, whether quantified or not? To answer these questions, I will start by Avicenna's characterization of possibility, which according to him, has at least three meanings: the general possible, which is defined as 'not impossible', the 'narrow-possible' (as Wilfrid Hodges translates it) which is defined as 'not necessary' by Avicenna. But 'not necessary' means more precisely 'neither necessary nor impossible' since it is "that which neither its existence nor its non existence is necessary". It corresponds to what is now called the bilateral possible and is incompatible with both necessity and impossibility. The third meaning is a narrower sense of possibility and means: neither actual nor necessary. However this last meaning is not considered as adequate, and it is the second meaning that Avicenna retains although he does also use the first one. His classification of modal non quantified propositions contains then six levels of modalities in *Al 'Ibāra* instead of the four Aristotelian levels, because he includes the narrow-possible and its negation. This leads to the following results:

1. Avicenna presents a modal hexagon for the singular propositions. The modality itself is put in the

beginning of each proposition, which suggests a *de dicto* formulation and differs from the *de re* formulations used by Al Fārābī, for instance, and the medieval logicians.

2. He gives the exact negation of the bilateral possible (considered as the real meaning of possibility), which is 'Necessary or Impossible', as has been shown much later by Blanché and others.
3. He applies the bilateral sense of the possible to quantified propositions and gives their exact negations. For instance, the exact negation of 'A narrow-possible' is 'Necessary **O** or Necessary **A**'. He also gives in *Al Qiyās* the exact negation of the 'narrowest-possible' when applied to **A** and to **E**, but this kind of possibility is not included into the classification of consecutive modal propositions presented in *Al 'Ibāra*.
4. We find also a distinction between the scopes of modality in possible sentences since Avicenna separates between the following two sentences: "Every man is possibly a writer" and "It is possible that every man is a writer". The truth conditions of these sentences are different because the first one is true while the second is not obviously true. This could be seen as an anticipation of the medieval distinction between *de dicto* and *de re* readings of

possibility. This distinction is also made in the syllogistics, since Avicenna separates the cases where the modal operator puts on the quantifier and those where it puts on the predicate.

The figures that emerge from this treatment of modalities seem to be the following:

1. A hexagon of modal singular propositions, since Avicenna includes the narrow-possible in his classification of the consecutive modal propositions. But this hexagon does not contain the subcontrariety relations.
2. A more complex figure including the quantified propositions of the modal octagon plus the narrow-possible **A** and **E** and their negations. But Avicenna, unlike Al Fārābī and the traditional medieval logicians, uses *de dicto* formulations of these propositions.

However Avicenna's treatment of the modal oppositions between quantified propositions remains incomplete because he does not consider all the relations that may occur between them. He states only the contradictions and implications and does not talk explicitly about the other relations such as contrariety and subcontrariety. Furthermore, although he distinguishes between *de re* and *de dicto* formulations of quantified modal propositions he does not examine precisely the way this distinction may affect the oppositions between the propositions.

De Morgan, Peirce and the Square

RENATA DE FREITAS AND JORGE PETRUCIO VIANA

Universidade Federal Fluminense, Brazil.

renatafreitas@id.uff.br

petrucio@cos.ufrj.br

In this work we apply the square of opposition in the study of the Logic of Relations of De Morgan and the Logic of Relatives of Peirce. Our analysis shows explicitly a fact that can be grasped from a reading of the original articles by De Morgan and Peirce: De Morgan was trying to generalize syllogisms but not the Aristotelian logic, and Peirce generalized Boolean algebras but not the Aristotelian logic. We arrived to these conclusions by showing how far De Morgan and Peirce were from having a square of opposition underlying their systems. In addition to these negative findings, we scrutinized both systems and elucidated some ways figures close to the square of opposition were used in them.

Epistemological Reflections on the Fregean Square of Opposition

RAFFAELA GIOVAGNOLI

Pontifical Lateran University, Vatican

`raffa.giovagnoli@tiscali.it`

The distinction between “judgeable content” and “judgment” can be considered the most important result of Frege’s epistemology. This idea is at the center of our discussion that concerns three fundamental theoretical points.

First, the distinction between “function”, namely the fixed part of an expression and “argument”, namely the variable part of it, plays the fundamental epistemological role to indicate when the argument is “determinate” or “indeterminate”. This very distinction is relevant for specifying a new notation of “generality”, which differs from the Aristotelian one and rests on a substitutional strategy. We’ll consider Frege’s replacement of the syllogism with a formal structure divided into “function” and “argument” by referring to his original notation in the *Begriffsschrift*.

Second, the change of the Aristotelian notation gives rise to a criticism of the aggregative strategy presented by Boole. Judgment is not formed by aggregation out of previously given constitutive concepts. Frege’s notation admits differences of concept’s level that overcome the classical distinction between subject and predicate. The logical form, composed of “unsaturated” and “saturated” parts could be

considered by itself as predication; consequently we do not need to some additional factor to relate them predicationally. What remains unclear in syllogistic is the crucial problem of “concept formation” as it starts from the assumption that concepts are formed by abstraction from individual things and that judgments express comparison of concepts like inferences. According to Frege, Boole’s logic presents the same problem.

Third, we point on the role of the difference between judgment and judgeable content in different kinds of speech acts. We must concentrate on the role of the sign for assertion that clearly shows the distinction between assertion and predication namely to combine a subject with a predicate does not imply that one performs an assertion about what the subject named. As we can notice also in the *Begriffsschrift* Frege wants to avoid the inclusion of the assertion into the predication as it is incoherent. So, the task of the sign of assertion is to overcome this incoherency and to clarify that the negation and the distinction between universality and particularity do not apply to the judgment or the assertion but to a possible judgeable content.

To What Extent do Knowledge Models Exploit the Square of Opposition or its Extensions ?

BORA KUMOVA

Izmir Institute of Technology, Turkey

borakumova@iyte.edu.tr

The square of opposition is exploited in computer science, particularly in engineering knowledge-based systems, since its very beginnings, which is rooted in the works of modern logicians of the late 19th and early 20th centuries, predominantly Frege and Gödel. Frege's results led to propositional logic and predicate/ first-order logic. Gödel's results enabled representing axiomatic systems algorithmically, which in turn enabled Turing to specify the first theoretical (mathematical) computer, the Turing Machine in 1936. Zadeh's first contribution to fuzzy logic in 1965 provided a means for representing any possible human logic. It has facilitated modelling possibilistic systems in all science and engineering disciplines, including fuzzified extensions of the square of opposition. Cognitive models for artificial intelligence make extensive use of these concepts, with the objective to mimic smart behaviours.

Engineering a smart behaviour requires modeling a particular logic, such that humans may perceive it as satisfiable and consistent, i.e. meaningful. The square of opposition is one logical concept that can help designing a meaningful system behaviour. We will explore to what extent such concepts were common in engineering knowle

Logical Pluralism and the Square of Opposition in Formal Ontology

OLIVER KUTZ

Bremen University, Germany

`okutz@informatik.uni-bremen.de`

Formal ontology, contrary to philosophical ontology, is a field which is highly multidisciplinary comprising logicians, computer scientists, semioticians, linguists, cognitive scientists, and philosophers. This brings heterogeneity, both in methods and application areas, with an extensive scope ranging from general conceptual modelling to architecture and engineering, from the life sciences to the arts etc. It is therefore not surprising that logical pluralism plays an important role in the engineering of formal ontologies, with logics being used ranging from classical propositional and first-order logic, to intuitionistic, modal, description, and non-monotonic and paraconsistent logics.

This talk takes up the challenge of finding structure in this complex landscape by using the square of opposition and related logical shapes as a guide. We distinguish three levels, the micro level (structure within an ontology), the meso level (structure between ontologies), and the meta level (structure about an ontology). Specifically, we are interested in investigating the interplay between the triangle, the square and the hexagon, and logical pluralism, given that the modules of a heterogeneous ontology may employ different notions of local negation.

Some post-syllogistic structures of opposition

AMIROUCHE MOKTEFI

University of Strasbourg, France

LHSP AHP, University of Lorraine

`moktefi@unistra.fr`

There is no doubt that the square of opposition has known a “new rising” in recent years, thanks to several scientific projects and events, carried out by scholars that meet regularly, most of whom do participate to this world congress (either present or past editions). A look at the scientific program of this congress shows the richness of the questions raised and the disciplines involved. It is tempting to say, but not to regret, that this variety makes it more difficult to say what the square really is and what it is for. The aim of this talk is to share few thoughts inspired by several not-well-known post-syllogistic structures of opposition, designed mostly by nineteenth-century logicians. This discussion will be explored in three main directions. First, we will consider the square as a visual device. As such, it invites and deserves a semeiotic analysis that might reveal interesting features that are so basic at first look that one might easily (but not happily) overlook them. Second, we will consider the place of the square within the history of logic. Indeed, it would be unfair to complain about the neglect of the square since the nineteenth-century if the square didn’t help with the new problems that faced the logician at the time. A quick look at such problems and what benefit there would be in using the square might give some indication on its logical status. Finally, we will look at

some developments beyond the square and the use of more complex structures by past and present logicians, and the increasing interest in the mathematical properties of those structures.

On the Hexagon of Opposition in Music

FRANÇOIS NICOLAS

Ecole Normale Supérieure d'Ulm, France

fnicolas@ens.fr

L'hexagone des oppositions, articulant trois modalités de négation, apparaît apte à formaliser une logique musicale s'ordonnant à trois principes qui viennent contraposer terme à terme les trois principes logiques d'Aristote: un principe d'ambiguïté (s'opposant au principe d'identité), un principe de négation contrainte (s'opposant au principe de non-contradiction) et un principe du tiers obligé (s'opposant au principe du tiers exclu). Ces trois principes configurent la composition musicale comme interaction entre trois « entités » (une entité première, son altération et une entité d'un autre type) qu'on entreprendra de formaliser sous forme d'un premier hexagone.

Cependant, l'écoute proprement musicale ne consiste nullement à reconstituer d'oreille cette logique écrite. Elle procède d'une logique propre, disposant de ses propres oppositions (l'écoute musicale n'est ni une perception ni une audition) qui peuvent alors s'inscrire dans un second hexagone. D'où la question : comment ces deux logiques (composition écrite/écoute d'une interprétation musicale) se dialectisent-elles, autant dire comment s'articulent ces deux hexagones ?

Contingency Logics and Modal Squares of Opposition

CLAUDIO PIZZI

University of Siena, Italy

pizzic@msn.com

As is well-known, in the tradition of logical studies one can find two notions of contingency, a weak and a strong one - the former being coincident with non-necessity, the latter being coincident with bilateral possibility (what can be true and can be false).

While all modal notions belonging to the Aristotelian square may be defined in terms of contingency in the weak sense, it is usually held that the strong (proper) notion of contingency may be used to define necessity only if necessity satisfies the property T (i.e. $\Box p \supset p$) but is ineffective to define weaker notions of necessity.

In the first part of the paper it will be shown, however, that extending contingent language with at least a suitably axiomatized propositional constant a contingent definition of necessity may be found even for weak notions of necessity.

In the second part of the paper the relations between contingency and necessity will be visually represented by squares of opposition. In this connection two basic notions are introduced: the one of a degenerate square of opposition and the one of composition of squares. Some elementary properties of such notions will be proved: e.g. that the composition of distinct squares of oppositions yields a non-degenerate square of opposition.

It will then be shown that contingent notions may be represented via degenerate and non-degenerate

squares of oppositions. As a final step, it will be shown how the standard square of modal notions turns out to be equivalent to a suitable combination of contingentia squares.

A Hexagonal View of Artificial Intelligence

HENRI PRADE

IRIT, France

Henri.Prade@irit.fr

A Formal Structure of Global Debates by n- Opposition Logics

JEAN SALLANTIN

LIRMM de Montpellier, France

`jean.sallantin@lirmm.fr`

One may consider global debates as localized within the ideosphere. Stakeholders of the ideosphere exploit rational tools of "theory construction" within important domains such as science, politics, art, religion. The systems produced by those stakeholders are a representation of both natural phenomena and human creations; moreover they embody scope and logics internally. Externally a rational debate among stakeholders should exhibit differences, constraints, contradictions and paradoxes only under the assumption that critics on systems may be submitted to global logical criteria.

In this talk, we present a new way to understand the relations between global debates and shared mental constructs (systems) by exploiting geometrical structures – logical squares, hexagrams, cubes, hypercubes – existing in a 6-opposition logic.

Towards a Calculus of Squares

PETER SCHRÖDER-HEISTER

University of Tübingen, Germany

psh@uni-tuebingen.de

The deductive relations between the four corners of the square suggest a system with primary (strong) and secondary (weak) assertion and denial as four forms of judgement. This can be well understood by using ideas from extended logic programming and definitional reasoning. Proof-theoretically it can be captured by extending Gentzen's calculus of sequents to a calculus of squares, which has four rather than two entries for formulas.

3 Abstracts of Contributors


Square of Oppositions and Hexagons in Argumentation

LEILA AMGOUD AND HENRI PRADE

Université Paul Sabatier, France

amgoud@irit.fr, prade@irit.fr

The idea of opposition plays an important role in argumentation [1]. Apothéloz [2] has pointed out the existence of four basic argumentative forms, where two negations are at work: i) “ y is a reason for concluding x ” (denoted $C(x) : R(y)$), ii) “ y is not a reason for concluding x ” ($C(x) : \neg R(y)$), iii) “ y is a reason against concluding x ” ($\neg C(x) : R(y)$), and iv) “ y is not a reason against concluding x ” ($\neg C(x) : \neg R(y)$). These four statements can be organized in a square of opposition (modifying a recent proposal by Salavastu [3] where the vertical entailments were put in the wrong way). Indeed, if y is a reason for not concluding x , then certainly y is not a reason for concluding x . It leads to the argumentative square of opposition:



Moreover, it is possible to build a hexagon of opposition (in Blanché' sense) by considering the different possible consequence relations linking a reason y to a conclusion x ; see below where we use the traditional naming of vertices, \vdash denotes entailment and \nmid its negation):

U: $y \vdash x$ or $y \vdash \neg x$; **A:** $y \vdash x$; **E:** $y \vdash \neg x$; **I:** $y \nmid \neg x$;

O: $y \nmid x$; **Y:** $y \nmid x$ and $y \nmid \neg x$.

Besides, the link between a conclusion and a reason may be strong (\vdash) or potentially defeasable (\nmid). This leads to the following hexagon showing the interplay between a strong consequence relation (\vdash , and its negation \nmid) and a weak consequence relation (\nmid , and its negation \vdash), where having $y \vdash x$ and $y \nmid x$ is supposed to be impossible:

U: $y \nmid x$ or $y \vdash x$; **A:** $y \vdash x$; **E:** $y \nmid x$; **I:** $y \vdash \neg x$; **O:** $y \nmid \neg x$; **Y:** $y \vdash x$ and $y \nmid x$.

Note that **A**, **E**, **Y** refer to 3 mutually exclusive situations in both cases.

[1]. A. Moretti. Argumentation theory and the geometry of opposition (abstract), 7th Conf.

Inter. Soc. for the Study of Argumentation, 2010.

[2]. D. Apothéloz. Esquisse d'un catalogue des formes de la contre-argumentation. Travaux

du Centre de Recherches Sémiologiques, 57, 69–86, 1989.

[3]. C. Salavastu. Logique, Argumentation, Interprétation. L'Harmattan, Paris, 2007.

Higherdimensional Oppositions from Proof-Theory

PETER ARNDT

Universität Regensburg, Germany

`peter.arndt@gmail.com`

We discuss a refinement of the general setup of opposition shapes for a given logic: Usually one considers semantic relations between formulas, for example that not both can be true. For a complete logic this relation can be expressed as saying that there exists a proof with the two formulas as hypotheses which arrives at a contradiction. Now instead of letting the edges in an opposition diagram indicate the mere existence of such a proof one can let every edge denote a particular such proof. We will show how this results in a natural interpretation of the triangles enclosed by the edges: They can be interpreted as the statement that the proof denoted by one edge is equal to (or transformable into) the composition of the proofs denoted by the remaining edges. We also discuss how opposition shapes are transported along translations of logics and when and how the possibility of creating opposition shapes can be seen as an algebraic structure on a logic.

A Square of Oppositions Arising from the Comparison of Gentzen’s Natural Deduction and Sequent Calculus

MICHAEL ARNDT AND LUCA TRANCHINI

Tübingen University, Germany

arndt@informatik.uni-tuebingen.de

luca.tranchini@gmail.com

The correspondence of Gentzen’s natural deduction and sequent calculus is based on the idea that formulas in the antecedent and succedent of sequents correspond, respectively, to assumptions and conclusions of natural deductions. In this paper, we are interested in how exactly this correspondence should be understood when either the antecedent or the succedent of sequents are empty.

Since a natural deduction tree has all nodes labelled with formulas, there is no genuine notion of ‘no assumptions’ or of ‘no conclusions’ immediately available in this framework. Typically, sequents with an empty antecedent correspond to deductions in which all assumptions are discharged; and sequents with an empty succedent to deduction having the unit “Falsum” as conclusion.

The reason of this asymmetry is investigated, by considering the case of dual-intuitionistic logic, in which discharge applies to conclusions and not to assumptions, and in which we have the unit “Verum” instead of “Falsum”.

By correlating the two frameworks, the two units and the operations of discharge of assumptions and

conclusions yield four possible ‘forms of judgement’ which, it has been suggested, may be viewed as forming a square of opposition.

To make the idea precise, we consider the sequent calculus for linear logic, in order to (i) establish a correspondence between the operations of assumptions and conclusions discharge on the one hand and linear logic multiplicative units on the other; and (ii) between Verum and Falsum on the one hand and linear logic additive units on the other.

**The Logic of Paradoxes:
Its Root in Legal Practices and its Evolutionary
Multi-valued Character**

RAINHARD BENGZ

Technische Universitaet Muenchen, Germany

bengez@tum.de

The logic of uncertainty and paradoxes has its origins in the geometric figure of the square, the Grecian tetragram or rather the Sanskritic catuskoti. Its ancient kernel is the old Indian, Grecian resp. biblical thinking and concept of justice.

This talk tries to reveal that:

- a) This view of legal practice, ontological and logical classification presupposes human beings' free will.
- b) The principle of square overrules any sequential logic, but following its own inherent structure GÖDEL'S liar induces a dynamical multi-valued logic which will be presented.
- c) The question of consciousness, reality and the dichotomy of subject and object as well as of free will are closely related to this subject.
- d) Based upon the technical formulation of b) HEGEL and NAGARJUNA have mirrorinverted position.
- e) There occur some open questions concerning freedom, consciousness and the absolute well-ordering.
- f) We will analysis its extension to the hexagon under the viewpoint of dynamic and mysticis

Antilogic, Counterlogic and the Square of Opposition

HILAN BENSUSAN AND ALEXANDRE COSTA-LEITE

University of Brasilia, Brazil

hilantra@gmail.com & costaleite@unb.br

We define an antilogic and a counterlogic for any logic. We proceed to study oppositional relations between a logic, its antilogic and counterlogic to show under which conditions they are display structures akin to the square of opposition. The work is part of a greater effort to explore the intersections between universal and modal logic towards a general conception of what a logic is and a revision of its role within research in metaphysics.

L'image, le signe, le réel : unités et consistances de l'objet poétique chez Aristote

VERONIQUE BRIÈRE

Université de Paris Ouest La Défense, France

vbriere@free.fr

De quoi l'objet fictionnel et véracé de la poétique tient-il sa consistance, et par où peuvent donc s'indiquer à travers lui quelques facettes du réel, si cet objet ne copie rien de tel qu'une chose entièrement déjà préexistante et complètement achevée qui serait comme son modèle – l'Homme, par exemple, ou même *tel* homme, qui ne serait *qu'*Œdipe ; et surtout si cette consistance se joue à l'articulation complexe de l'image (du *portrait*), de la figure absente (du symbole) et du signe (orchestré en *logos*) ? Qu'en est-il de cet universel (l'humain ? une *vie* ?) donné au travers d'une aventure si singulière (les décisions et actions d'une histoire particulière propre), qui n'est dès lors ni jamais l'*exemplaire* d'un ensemble unifié (la logique même de l'*ethos* implique que ce soit en étant pris dans les rets particuliers d'un être devenu, des habitudes, et désir et pensées qui font le caractère que l'on agisse, autant que l'inverse) ni non plus une *exception* opposable à l'uniformité supposée d'une classe (si Œdipe est un bon personnage, c'est qu'il éclaire sur ce que *peut* l'homme, quel qu'il soit) : le héros n'en est un, n'est une *figure* possible, signifiante et symbolique, qu'à la condition de faire à la fois saisir en lui une proposition universelle affirmative et de s'en donner comme l'obstacle

interdisant de se suffire de la première. Œdipe a agi ainsi, donnant forme à un genre d'homme, mais dont *pas tous* par définition ne pourraient s'y rassembler simplement. Il faut, pour ce que la poétique révèle du réel humain, aller s'installer là où seules des propositions particulières affirmatives peuvent pourtant soutenir un universel *absent*, qui n'a pas d'unité en tant que tel ; *quelques* hommes agissent de telle ou telle manière, que seule *une* histoire, un parcours, une décision et un « nœud » narratif peuvent raconter en sa forme singulière, mais de ce « quelques » on ne peut pas tirer nécessairement qu'ils sont une instanciation (particulière) d'une universelle affirmative. Le héros (tragique, en l'occurrence) n'est jamais seulement non plus un élément d'un partitif indéfini – le problème sur ce point n'est pas tant le *nombre indéfini* des éléments comptant dans un hypothétique ensemble (« les hommes vertueux mais qui commettent une faute » par exemple), que le mode même d'unité de ce particulier, qui a vocation à donner l'ampleur suffisante pour conceptualiser, mais sans nommer jamais un universel.

On voudrait pointer ici plusieurs modes d'unité dont l'articulation ou le croisement serait en grande partie ce qui ferait tenir la chose poétique, et par là même s'indiquer quelque chose du réel humain : non pas en faisant le portrait d'un individu, unité simple et substantielle de l'actant, mais bien en jouant les unes avec/contre les autres une unité imaginaire, comme en un miroir, qui donne la forme idéale d'un type d'agir, un « schème général » ou unité narrative qui se donne en une unité divisible mais censé délivrer une unité symbolique (le sens des actes, des décisions, etc.), et une

unité partielle, incomplète par essence, qui serait précisément celle qui n'existe nulle part, n'étant ni le corps matériel du personnage, ni la « totalité » englobante de « l'histoire » (avec la somme de ses nouements et dénouements qui articulent son mouvement comme un vivant). Ce qu'il s'agit de « comprendre » grâce à/ dans une bonne histoire n'est donc ni seulement l'attribution à *une* individualité sujet unique, la référence à une singularité comme cause suffisante, ni non plus l'exemplaire illustration d'une classe aux contours indéfinis. L'enjeu n'est précisément pas de quantification, mais de mode de consistance : cette unité de l'*acte*, de la décision et de la manière d'agir, qui signifie un « caractère » ou une personne, est proprement celle à la fois que le personnage lui-même *manque* sans cesse, sauf à l'entrevoir, et à retardement sans doute, *après* l'acte, et celle que le lecteur ne cesse de fabriquer, en tricotant ces fils de nature différentes et de vitesses différentes que sont l'unité narrative englobante, l'unité « imaginaire » donnée dans le « portrait » écrit, et l'unité symbolique, en mouvement.

En cela ce que la poétique donne à voir, même chez Aristote, est bien l'aventure d'un sujet « partiel » à lui-même, et dont rien, sinon d'être pris dans un récit dont il est à peine l'auteur, ne lui donne « l'unité » : seule la mise en récit, et la valeur fugitive de *signature* que prend l'acte, permet de faire exister cette singularité porteuse d'universalité.

The Medieval Octagon of Opposition for Sentences with Quantified Predicates

JUAN MANUEL CAMPOS BENÍTEZ

Benemérita Universidad Autónoma de Puebla, México

juancamposb@hotmail.com

The traditional square of opposition consists of four sentence types. Two are universal and two particular; two are affirmative and two negative. Examples, where “S” and “P” designate the subject and the predicate, are: “every S is P”, “no S is P”, “some S is P” and “some S is not P”. Taking the usual sentences of the square of opposition, quantifying over their predicates exhibits non-standard sentence forms. These sentences may be combined into non-standard Squares of Opposition (an Octagon in this case), and they reveal a new relationship not found in the usual Square. Medieval logicians termed “*disparatae*” sentences like “every S is some P” and “some S is every P”, which are neither subaltern nor contrary, neither contradictory nor subcontrary. Walter Redmond has designed a special language L to express the logical form of these sentences in a precise way. I will use this language to show how Squares of Opposition, standard and non-standard, form a complex network of relations which bring to light the subtleties contained in this traditional doctrine.

Groups, not Squares: Exorcizing a Fetish

WALTER CARNIELLI

CLE UNICAMP, Brazil

walter.carnielli@cle.unicamp.br

The idea of duality is but a mere simplification of the deep relationship between algebra and logic known as “quaternality” which lies behind De Morgan laws and behind many results of universal Boolean algebra, geometry, topology, and several other areas. Such quaternality relation has a rich structure, represented by the Klein 4-group, and from this perspective can be studied in much more general terms. I argue that the celebrated Square of Opposition is just a shadow of a much deeper relationship on duality, complementarity, opposition and quaternality expressed by algebraic means, and that any serious attempt to make sense of squares and cubes of opposition must take into account the theory of symmetry groups

Square of Expressions

FARES CHALABI

Paris8 / ALBA, France

fareschalabi@gmail.com

This paper aims at producing a double of the square of oppositions, the square of expressions:

1. By following Deleuze analysis in *Difference and Repetition*, I will first distinguish between two logics operating in Aristotle: the logic of the univocal concepts – as developed in the *Organon*, and the logic of the categories – as developed in the *Metaphysics*. As Deleuze puts it, these two logics reflect one another in so far as difference is submitted to identity, making possible the oppositional relation in the *Organon*, and the analogical relation in the *Metaphysics*.

2. The second part will be a historical survey of the effects of ‘being’ on the square of expressions. In this investigation I will show how the introduction of *being* in the square of opposition brings upon the square confusion (Abelard), an explanation (Hegel) or acts as a condition of possibility (Shelling).

3. The final part will aim at showing how both the square of oppositions and effects of being on the square, understand being as an inclusive relation between the part and the whole which leads to the oppositional relation and syllogism. I will then propose a different interpretation of *being*, based on Deleuze’ *Cinema 1&2*, to establish an *expressive* relation between the part and the whole. The last step will be the formalization of these relations in a *square of expressions*.

"Yes, Timothy, there really are valid logical squares"

SALOUA CHATTI AND FABIEN SCHANG

University of Tunis, Tunisia

Université de Lorraine, France

salouachatti@yahoo.fr

schang.fabien@voila.fr

A well-known reason why the theory of opposition suddenly failed is its being invalid once subject terms are empty names: the logical square is said to be valid only if the domain of reference is non-empty, thus discarding its universal application. The present talk wants to argue that this historical fact should be corrected beyond any philosophical or linguistic assumptions.

Despite Strawson's attempt to restore its validity in 1952, Timothy Smiley launched in 1967 what seemed be a decisive charge against the logical square. Yet here is presented a way to validate the square by an alternative formalization of the quantified propositions, irrespective of ontological preconditions and with the sole framework of first order logic.

This results in a new set of eight propositions and an enriched logical cube of quantified propositions, including five valid squares and three valid hexagons.

Rough Sets and the Square of Opposition

DAVIDE CIUCCI, DIDIER DUBOIS AND HENRI PRADE

Université Paul Sabatier, France

ciucci@disco.unimib.it

dubois@irit.fr

prade@irit.fr

Rough set theory deals with incomplete information where the available attributes cannot describe reality accurately. More precisely, when the extension of a set of objects cannot be defined, it is approximated through a pair of sets, the lower and upper approximations, which are defined on the basis of an equivalence relation. In the original setting, these two approximations give rise to a tri-partition of a universe in objects which surely belong to the set, surely do not belong to the set and objects that cannot be correctly classified using the available knowledge. Thus, they generate a hexagon of opposition, which extends the usual square of opposition. In more general models, when the two approximations are not dual (that is, we cannot define one from the other), they give rise to a cube of oppositions. Finally, on top of an equivalence relation, we can consider its non-transitive generalization, i.e., a symmetric reflexive relation, and their opposites: discernibility and preclusivity relations, respectively. Then, these four relations can be represented through a classical square of opposition.

Heraklitean Oppositions

PAUL J. E. DEKKER

Universiteit van Amsterdam, Netherlands

p.j.e.dekker@uva.nl

The Greek philosopher Herakleitos (5-th century B.C.) has been attributed a theory of oppositions. Despite the sparsity of his legacy, his philosophy has been characterized by a great many commentaries as focused on paradoxes (epistemologically speaking), and on nature as in permanent flux (metaphysically speaking). A coherent interpretation of his work results if it is centered around a basically phenomenological (both metaphysical and epistemological) principle of opposition, or 'distinction', as I prefer to call it. In this contribution I want to show how aristotelian oppositions can be derived upon this understanding of Herakleitos' remnants, in a logically and philosophically better motivated and more general way.

Between the Finite and the Infinite: What Kind of Negation?

MARIA GIULIA DONDERO

Université de Liège, Belgium

Mariagiulia.dondero@ulg.ac.be

CAROLINE JULLIEN

*Université de Liège, Belgium / Université de Lorraine,
France*

Caroline.jullien@univ-nancy2.fr

Our talk proposes an exploration of the logical relation of negation between the finite and the infinite through the square of opposition. We study the main conceptions of the infinite in mathematics and we propose to position them according to their logical relation of dependency with the finite. For instance, the Aristotelian infinite can be understood in negative terms as far as the quantity is concerned: the infinite is the subaltern negation of the finite. On the contrary, in the modern set-theoretical conception of infinite, the contradiction between infinite and finite puts the positivity on the infinite; the finite appears as the logical negation of infinite. The aim of this semantic presentation of the infinite is to understand the consequences of these two conceptions as far as knowledge and understanding are concerned. We'll analyze the pictorial representations of the mathematical infinite: how can geometricians and mathematicians overcome the obstacle of the pictorial construction of the infinite? We'll expose a semiotic analysis of the

dialectical relation between pictorial and algebraic representation of the infinite that allows us to discern the cognitive stakes of these different conceptions.

Aristotle on Contrariety in *Metaphysics* 10

ROBERT L. GALLAGHER

American University of Beirut, Lebanon

rg19@aub.edu.lb

For Aristotle in the *Metaphysics* contrariety is not primarily a way to relate certain pairs of propositions, but describes rather a relationship between beings. In *Metaphysics* Book 10, Aristotle says that all members of a *genos* are to be derived from two particular members which he calls the contraries of the *genos* (cf. 1055a8-9, 55b16-17). The contrary with the best capacities is the “one” or “measure” of the *genos*. Its privative contrary is the weakest member. Since privation is often a contradiction (*antiphrasis*) or incapacity determined in the recipient (10.1055b3-8), contraries can possess contradictory states. Other members of a *genos* Aristotle calls intermediates (cf. 1057a19-26), which he says are all composed from the contraries through privation, by degrees, of the capacities of the one (cf. 1057a18-19, 57b2-4, b30, 1055a8-9, 1055b11-15; 1005a3-4). Aristotle says it is impossible for there to be intermediates from things that are not opposed (1057a32). At first glance, this seems to conflict with *Cat.* 5.3b24-7, which appears to rule out substances being contraries in this sense. But “contrary” is homonymous (cf. *Met.* Δ.10), for contraries within a *genos* are not absolute contraries, for they share the common characteristics of the *genos*, e.g., all footed *vivipara* have feet and the females give birth to live offspring. They are, rather, *relative* contraries. If contraries are relative to a *genos*, and have intermediates, it would seem that contrariety is not dichotomous.

Moreover, if contraries can possess contradictory states (*vide supra*), but, at the same time, have intermediates, then in some *gene* there seem to be intermediate states between contradictory states.

**The Square of Ontological Questions:
a Flexible Erotetic Cure for *Mathematosis*?**
KATARZYNA GAN-KRZYWOSZYNSKA AND PIOTR
LESNIEWSKI

Adam Mickiewicz University, Poland
katarzyna.gan.krzywoszynska@gmail.com
grus@amu.edu.pl

The starting point is a list of subsequent classical questions: (1) What is there? [*the classic completely generic metaphysical question*]; (2) Of what does reality consist?; (3) What is it to be an actual entity? [*the fundamental metaphysical question*]; (4) Do times exist?; (6) Is there at least one thing?; (7) How to live? [*the central philosophical question*]. But the metaontological question, namely – the question: ‘Do ontological questions really have answers?’ is introduced and briefly discussed in the context of meta-ontological monism and pluralism. Obviously, we attempt to avoid the camp of quizzicalists (in the Stephen Yablo’s sense). The phenomenon or rather the syndrome (i.e. a complex of symptoms that collectively characterize some abnormal condition) of the (Quinean) *mathematosis* is shortly analyzed. The famous hexagon of opposition associated with provability logic is adopted. Following Belnap an erotetic hexagon is developed by means of standard model-theoretic semantics for questions. The so-called non-reductionistic approach to questions is presupposed.

Mereological Hexagons for the so-called Paradox of Epimenides

STAMATIOS GEROGIORGAKIS

University of Erfurt, Germany

stamatios.gerogiorgakis@uni-erfurt.de

Epimenides says: ‘Cretans always lie’. If this is true, then Epimenides always lies, since he is a Cretan. But if he lies, then the sentence: ‘Cretans always lie’ is false. Since this is false, there must be a Cretan who does not always lie. If we do not see ourselves justified to assume that there is a Cretan who does not always lie, then what Epimenides says, comes to the same thing as the liar paradox. But if we do assume that there is a Cretan who does not always lie, with the only excuse that an infinite regress is absurd and has to be stopped, then we happen to establish logically by *reductio ad absurdum* the existence of an empirical entity, a non-lying Cretan. Does this present a (non-semantic) paradox? Church (“The Liar by Alexandre Koyré”, *The Journal of Symbolic Logic* 11 (1946), 131) and Prior (“Epimenides the Cretan”, *The Journal of Symbolic Logic* 23 (1958), 261), and Kleene (*Introduction to Metamathematics*, Groningen: Wolters-Noordhoff, 1952, 39) said that it does. Koyré (“The Liar”, *Philosophy and Phenomenological Research* 6 (1946), 348) was of the opposite opinion, but offered no arguments for this.

I use hexagons of opposition as heuristic devices on behalf of an argument which says that it is legitimate to assume *a priori* the existence of at least one non-lying

Cretan: a “slice” of Epimenides himself. I.e. I provide support for Koyré’s opinion *contra* Church, Prior and Kleene. A temporal part of Epimenides which utters the truism ‘Cretans lie’, i.e. without the second word of the Epimenides paradox, forms a Cretan, i.e. a “slice” of Epimenides, who says something true. Another “slice” of Epimenides, the one which says ‘Cretans always lie’, is the lying Cretan. This makes Epimenides’s sentence: ‘Cretans always lie’ false, without any paradox emerging, either a semantic or a non-semantic one.

Logical Contingency in William of Sherwood's Modal Square of Opposition

DALE JACQUETTE

University of Bern, Switzerland

dale.jacquette@philolo.unibe.ch

William of Sherwood's (1267 Paris manuscript) *Introductiones in logicam* offers a useful and mostly standard manual of syllogistic term logic. In Chapter One on 'Statements', sections 21-28 on modalities, closing the chapter, and in particular in section 28 on 'The Interrelation of the Modes', William supplements his traditional Aristotelian square of opposition with a square of opposition for modal statements. In the upper left corner of the square, otherwise reserved for universal A-type or 'All S are P' categorical propositions, William places, apparently intended as logically equivalent, the modal statements, 'It is not possible not to be', 'It is not contingent not to be', 'It is impossible not to be', 'It is necessary to be', arranged in contrariety, subcontrariety, contradiction and subaltern relations with other modal statements, in parallel fashion to the Aristotelian square. I focus on William's concept of logical contingency in this corner, of his modal square. Using methods of contemporary symbolic logic, I raise questions about the implicit equivalence between the modalities he diagrams. I argue on the basis of a modern understanding of modal logic that the negation of the logical contingency of the negation of proposition p cannot be correctly equated with the negation of the logical possibility or of the logical impossibility of the negation of p or the logical necessity of p , although I do not question the conventional logical equivalence of the latter three modal

duality formulations. I suggest that William makes the relatively common mistake of collapsing logical contingency into logically contingent *truth*, and that in this regard there is a cautionary lesson for us all. Instead, I urge that logical contingency is a matter of both the logical possibility of a proposition *and* of its negation. When this concept of logical contingency is considered, the failure of William's three forms in his modal square can be made formally explicit. I consider alternative interpretations of Williams' intentions in this part of the square to see if the difficulty is more charitably resolvable, and finally I investigate the implications of an appropriately revised understanding of the category of logical contingency in a correspondingly modified graphic representation of William's modal square.

**Generalized asymmetry in the Natural Language
Lexicon:
Quantifiers, Colour Terms and Number Words**

DANY JASPERS

HU Brussel, KU Leuven, Belgium

dany.jaspers@hubrussel.be

In previous work (Jaspers [2011] and Jaspers [to appear]), it was argued that relations of opposition between primary and secondary chromatic percepts can be shown to be algebraically the same as those between the three primary items (all, some, none) in the lexical class of quantifiers and their contradictories. This intriguing homology – set up using tools developed by Jacoby [1950], Sesmat [1951], Blanché [1953], Horn [1990] and Smessaert [2009] – manifests itself linguistically in parallel asymmetries of lexicalisation.

On the one hand, a subset of the logical and colour terms that are organised by the abovementioned system of oppositions is very commonly lexicalized cross-linguistically, as if by conceptual pressure (all, some; black, white, red). Other terms are less frequently lexicalized, with lexicalisation largely determined by utility or frequency (nand; magenta, cyan). Crucially, not only concepts in the O-corner (= bitstring 011 of the algebra) of the square of oppositions get no or only a non-natural single word lexicalisation (cf. Blanché [1969]; Horn [1972, 1989, 1990]), but the problem is more general. In predicate logic, for instance, it further affects the so-called U-corner (= 101 in the diagram

below), as well as the level zero operator (000) and the universe (111). This is represented in the following figure, in which the corners that resist natural single word lexicalisation are boxed.




Figure 1: Hasse diagram for predicate logic

The pattern of asymmetry can be shown to extend to modality. Thus systems of alethic and deontic modality (the latter as analyzed by Von Wright [1951] for instance) have been identified as “systèmes dissymétriques” by Blanché [1969, pp. 93-94] and Horn [1972]. Blanché draws an incomplete hexagon without O (011) and U (101) to represent his version of von Wright’s system, but it can easily be completed with two

further boxed corners at Levels zero and three beyond the gaps noted already.




Figure 2: Hasse diagram for deontic logic (extending Blanché’s version of von Wright (1951))

Our proposal diverges both from von Wright’s and Blanché’s analyses, however. As opposed to the former but in line with Horn [1989], we maintain that the notion indifferent should be replaced by bilateral permitted (but not obligatory) in 010 (Y-corner) and unilateral permitted (maybe obligatory) in 110 (I-corner), on a par with the occurrence of the item or in both the Y-corner (bilateral or exclusive) and the I-corner (unilateral or inclusive) of the propositional calculus. From Blanché we differ in that he postulates a fully natural occupant (“nullement une création artificielle”) imperative (affirmatif ou négatif) for the U-corner, which he claims is the contradictory of indifferent. The objection here is

not only that we are no longer seeking a contradictory of indifférent, given our revision of von Wright's 010. More importantly, the word impératif is really an A-corner word and the crucial addition (affirmatif ou négatif) to artificially turn it into a U-corner occupant could be added to obligatory no less than to imperative. Our main reason for boxing 101, however, is that a U-corner predicate expressing that the same deontic source obliges somebody to do something and simultaneously obliges him not to do that same thing is conceptually artificial and in view of that not naturally expressible by means of a simplex lexicalisation.

A final instantiation of the generalized asymmetry perspective to concept formation in closed lexical fields concerns natural numbers and the operations of addition and subtraction. The extension is partly suggested by the numerical properties of the atomic strings of the bitstring algebra, partly by asymmetries between odd and even numbers in terms of divisibility.

The resulting generalized bifurcation between natural and nonnatural lexicalisations and the binarity that characterizes concept formation in the realms of colours and numbers, suggests that Hauser et al. [2002]'s distinction between an internal computational system FLN (Faculty of language - narrow sense) and an internal computational system plus its accompanying "sensory-motor" and "conceptual-intentional" systems FLB (Faculty of language - broad sense) might be applicable not just to syntax, but also to concept formation and hence the lexicon.

The Hexadecagon of Opposition Applied to the Definition of ‘Knowledge’

PRIYEDARSHI JETLI

University of Mumbai, India


pjetli@gmail.com

The definition of ‘knowledge’ evolves in Plato from belief; to true belief: $\sim B_{Sp} \bullet \sim p \quad \sim B_{Sp} \bullet p$



$B_{Sp} \bullet \sim p \quad B_{Sp} \bullet p (=K_{Sp}),$


(belief revision depicted when p is true as S goes from not believing p to believing p); to justified true belief (JTB): $\sim B_{Sp} \bullet \sim J_{Sp} \bullet \sim p$



$B_{Sp} \bullet J_{Sp} \bullet p (=K_{Sp}).$ (belief and

justification revision depicted when p is true as S moves from combinations of justification and belief towards justified belief). After Gettier’s counterexamples in 1963, Lehrer added a fourth condition:

$\sim B_{Sp} \bullet \sim J_{Sp} \bullet \sim I_{Sp} \bullet \sim p$



$$B_{Sp} \bullet J_{Sp} \bullet I_{Sp} \bullet p (=K_{Sp})$$

The arrows of belief, justification and indefeasibility revision lead to the final node of knowledge. The hexadecagon can be extended to a hexadecagonal prism



. This would include possibilities of having indefeasible justified true belief of $\sim p$ as well as of p . Knowledge in general evolves from believing $\sim p$ to not believing p to believing p . I use the hexadecagon and the hexadecagonal prism to attempt to resolve Fitch's paradox of knowability.

Leibniz and the Square: A Deontic Logic for the *Vir Bonus*.

CHRIS JOHNS

American University of Beirut, Lebanon

chrisjohns23@gmail.com

17th century philosopher Gottfried Leibniz's contributions to metaphysics, mathematics, and logic are well known. Lesser known is Leibniz's "invention" of deontic logic, and that his invention derives from the Aristotelian square of opposition. In this paper, I show how Leibniz developed a "logic of duties," which designates actions as "possible, necessary, impossible, and omissible" for a "vir bonus" (good person). I show that for Leibniz, deontic logic can determine whether a given action, e.g., as permitted, is therefore obligatory or prohibited (impossible). Secondly, since the deontic modes are derived from 'what is possible, necessary, etc., for a good person, and that "right and obligation" are the "moral qualities" of a good person, we understand how deontic logic is derived from these moral qualities. Furthermore, on this deontic basis, Leibniz derives a definition of 'the good man' as 'one who loves everyone' (where 'love' is understood as practical).

Roland Barthes' Semiotic Square of Opposition

JACEK KORNAK

The University of Helsinki, Finland

jacek.kornak@helsinki.fi

In my paper I analyze a fragment from Barthes' *Incidents*. I will focus my analysis of *Incidents* on relationship between the author, the narrator, the protagonist and the readers. Barthes does not offer a traditional narration but rather he creates an uncanny square of opposition between these figures in *Incidents* that are deceiving for readers. What strikes readers of *Incidents* is the style, which blurs distinctions between fiction and diary, fiction and criticism or theory, and between personal and public. *Incidents* is an inquiry into racism and homophobia but it does it not directly but via textual strategies of deconstructing the traditional square of relationship between the author, the reader, the narrator and the protagonist. I claim that via this strategy we can approach the text as radically open for reinterpretations. I claim that we can look at *Incidents* as an incitement to develop new narrations and more broadly new ways of thinking about sexuality and racial issues.

Is Aristotle the Square of Opposition's Father?

JULIETTE LEMAIRE

CNRS, France

juliette.lemaire@paris-sorbonne.fr

Starting from the question of the square's paternity, we want to examine the birth's context of the square. Facing « sophistic difficulties » (*logikas duskheiras*, in *Metaphysica* Gamma 3, 1005b22 ; compare with « *sophistikas enokhlêseis* », in *De interpretatione*, 6, 17a36-37), Aristotle shows that contradiction is possible if we conceive it as an opposition between an affirmation and a negation of a certain form – here is involved a specific theory of *logos*, that is to say a certain idea of the proposition as saying something of something, *legein ti kata tinos*, which is the subject matter of *De interpretatione*. This treatise offers the first logical definition of contradiction and more generally of opposition. But in *Categories* and *Topics*, Aristotle has an other idea of opposition, no longer logical, but semantic: he is referring to a fourfold classification of the meanings of « to be opposite ». We want to show how Aristotle is constructing his logical definition of opposition with the quantification of propositions and to compare precisely the square of opposition in Aristotle, Apuleius and Boethius, focusing on particular proposition. Finally, we shall see that even if Aristotle is the first to theorize logically opposition, his idea on negation is still floating, if we compare it to an other logic in antiquity, the stoic one. We shall conclude on the limits of the first square of opposition.

The Analysis of Truth in the *Port Royal Logic*: Extension and Distribution

JOHN N. MARTIN

University of Cincinnati, USA

john.martin@uc.edu

The *Port Royal Logic* has been judged a departure from the medieval logic in part because its analysis of truth in terms of extension is understood to be a rejection of the medieval theory of reference. Jean-Claude Parineté, for example, maintains that its analysis of truth in terms of *extension*, a new term in technical logic, is a sharp departure from medieval semantics because it makes a novel use “term restriction” that represents a rejection of the medieval theory of supposition and its explanation of term-reference through the logical consequences known as descent and ascent, which hold between quantified propositions and their particular instances.

In this paper I argue that these claims are greatly exaggerated. The concept of extension as Arnauld and Nicole use it, if not the term itself, was well understood in earlier logic. Moreover, contrary to Parineté’s claim, its use by the *Logic* in the analysis truth is closely tied to the traditional theory of supposition and its technique of ascent and descent. There is novelty, but it lies elsewhere. What is new in the explanation of truth is its analysis in terms of what the authors call a *universal term*, which came to be known in later logic as a *distributive term* following the terminology more common in medieval logic. We shall see that: (1) prior to the *Logic* the term *universal*, aka *distributive*, term was

defined within supposition theory and used in this sense to state the well-known set of rules that characterize the valid moods, the same rule set used in the *Logic* itself, and (2) the medieval concept in fact underlies the *Logic*'s definition of *extension* and its statement of the truth-conditions for categorical propositions.

The many faces of inconsistency

Andrés Bobenrieth Miserda

Universidad de Valparaiso and Universidad de Chile

andres.bobenrieth@uvach.cl

To think about inconsistencies involves reflecting on several basic notions widely used to talk about human knowledge and actions, such as negation, opposition, denial, assertion, truth, falsity, contradiction and incompatibility, just to name the more perspicuous ones. All of them are regularly used in natural language and for each one of them several definitions or conceptions have been proposed throughout the history of western thought. That being so we tend to think that we have a good enough intuitive understanding of them. Yet a closer examination, as the ones made by Grim (2004) and by myself (Bobenrieth 2003), show many way in which “contradiction” and related word can be understood. Thus, a more precise definition would help to clarify their meaning and assist us to use them in a more appropriate manner. In this presentation I will try to clarify these notions and thus make a terminological proposal. The general background will be the reflexion on paraconsistency. A main purpose will be to show that the confusion between contraries and contradictories -- although they were clearly distinguished in the original square of opposition-- is very common and it paves the way to the reject of all forms of “inconsistencies” without making distinctions, and to the wrong assumption that regarding all the main aspects the effects of contrary opposition are equivalent to the ones of contradictory opposition.

**The Concept of Logical Contradiction according to
Al-Katibi Qazwyny in his Risalah Shamsyya and the
Square of Oppositions**

HAMDI MLIKA

Kairouan University, Tunisia

mlika_hamdi@yahoo.fr

Najm adyn Al-Katibi Qazwyny (who died in 1276) was the writer of a substantial text in logic entitled the *Risalah Shamsyya*. This short text in the domain of traditional logic was translated into English since 1854 in Calcutta (India) by A. Spencer, with a short introduction to what the translator called "the Logic of Arabians". In my paper, I shall present this short text, and give some bibliographical elements about his author, Najm al-Din Al-Katibi Qazwyny and about the historical context in which this text was written. However, my central aim in this paper will be to consider the form of Al-Katibi's concept of logical contradiction from the point of view of the square of oppositions. This topic in the *Risalah Shamsyya* is related to the section on "The Rules governing propositions", from fragments 58 to 63. I will read those fragments, as they are concerned by the concept of contradiction, using the square of oppositions. The concept of logical contradiction as presented in the *Risalah Shamsyya* is of course closer in its form to its counterpart in Avicenna's logical System, but I will tentatively defend the thesis of its originality in setting out the problems related to this concept, and the simplicity of its logical style.

A Morphogenetic Map of the 'Hybrid Hexagons' of the Oppositional Tetrahexahedron

ALESSIO MORETTI

University of Nice, France

thalnalessio@gmail.com

After defining the notion of "hybrid oppositional hexagon" (or hybrid logical hexagon) we show that the oppositional tetrahexahedon of Sauriol, Pellissier and Smessaert contains - unseen until now - hundreds of such hybrid hexagons. We study their qualitative typology, first by determining all the possible shapes and decorations of hybrid hexagons inside the oppositional tetrahexahedron and then by drawing a map of their mutual direct transformations by smallest deformations, which gives a 3D "morphogenetic map". Finally, we argue that the latter helps considerably the task of deriving, from "oppositional geometry", an "oppositional dynamics", useful for studying, through oppositional structures, dynamical oppositional phenomena.

Elucidating Kant's Antinomies with the Hexagon of Opposition

MARCEL QUARFOOD

Uppsala University, Sweden

Marcel.Quarfood@filosofi.uu.se

The antinomies in the *Critique of Pure Reason* consist of four pairs of contradictory propositions concerning fundamental metaphysical questions, such as the infinity or finiteness of the world (First Antinomy), whether there are free causes or not (Third Antinomy), etc. Theses and antitheses of the antinomies are both provable, so reason is unable to avoid contradiction, a situation Kant describes as the death of philosophy. Kant's solution to the antinomies is based on transcendental idealism (TI). Given TI, the alternatives that were contradictory become either both false (in the case of the first two antinomies, the mathematical ones), or both possibly true (in the case of the third and fourth ones, the dynamical).

Commentators have suggested a connection to the square of opposition, in that Kant's solution treats the alternatives of the mathematical antinomies as contraries and those of the dynamical antinomies as subcontraries. We go further, using a general form of the square, suitable for singular terms, such as the the antinomial subject term "the world". A clearer picture of Kant's solution is obtained when the square is extended to a hexagon. The hexagon model shows how the status of the theses-antitheses oppositions can change from

contradictory to contrary/subcontrary through the adoption of TI.

Is there a logic? Phenomenology of a Press Review

ERIKA RUGGERI

University “Bicocca”, Italy

`e.ruggeri3@campus.unimib.it`

The main idea behind this effort is to investigate “the logic” of something and apply it to a real, practical issue. A big help in this comes from Algirdas Greimas’ revisit of the Aristotelian square of oppositions that allows a visual representation of the logical articulation of a given semantic category.

Greimas suggests that it is possible to outline reality’s descriptive categories in order to find out a “constellation of terms” which is capable, even though contradictory and opposite, to better characterize reality itself.

The final aim is to demonstrate logic’s humble but socially useful purpose. In particular, we are going to deal with a free press review that was distributed in a Milan basilica during the first semester of 2008, called “La nostra rassegna stampa”, which had some peculiar features that we investigated.

After learning a little about the publisher, and reviewing several issues set in the general context of the press of the time, we will apply Greimas’ – as well as Floch’s – ideas and potentiality and evaluate the results. Then, we will compare them with the local features that identify the place in which the review was distributed, in order to test its compatibility. In the name of logic.

A Dynamification of Opposition

FABIEN SCHANG

Université de Lorraine, France

`schang.fabien@voila.fr`

A dynamification of logical opposition Op is proposed by means of a functional calculus of opposites op , such that $Op(\alpha, \psi) = Op(\alpha, op(\alpha))$ [3]. To begin with, op amounts to an extensional or intensional negation depending upon whether it proceeds as a function or a multifunction. Then an abstract operator of opposition is devised with the help of op , where subalternation is the counterpart of logical consequence and can be embraced in a broader set of properties.

Finally, the dynamic turn of oppositions is exemplified by an arithmetization of opposite terms that translates these as integers, opposite-forming operators as operators, and oppositions as types of operations between opposites. Another way to describe this dynamification is by introducing vector space theory and Chasles's relation within the geometry of opposition [2].

Such a process of dynamification is in position to approach two concrete examples of functional opposites, whether in balance social theory [1] or in the familial relationships: my enemy's enemy needn't be my friend, whereas my father's sister must but my aunt. The intensional character of the first example accounts for the non-bipolarity of conflict situations (not everyone is related friendlily or unfriendlily to each other) and makes enemies closer to contraries than contradictories; whereas

the extensional character of fatherhood does account for the connection with the contradictory-forming operator.

Algebraic Representations of Syllogistic and the Square of Opposition for the Logic of Information

MARCIN J. SCHROEDER

Akita International

University, Japan

mjs@aiu.ac.jp

Mathematical model of information developed from its conceptualization in terms of the one-many categorical opposition has been proposed in earlier papers of the author. Its formulation is using the concept of closure spaces and lattices of closed subsets. Within this framework, it is possible to apply to the concept of information an axiomatic form of syllogistic understood as algebraic structure, under some restrictions of the type of information.

It is a well known fact that every closure space whose lattice of closed subsets admits an involutive automorphism can be represented as a closure generated by a Galois connection generated by a binary relation defined on the set where closure is defined. The involution allows a definition of syllogistic structure, in similar way as orthocomplementation on a lattice allows to define orthogonality. However, for the purpose of the study of logic of information, more important are binary relations on the lattice of closed subsets, which can be identified with logic of information.

In the present paper, another class of representations of the algebraic structure associated with syllogistic in terms of binary relations on this lattice is

presented. Thus, here too instead of one standard representation of syllogistic in the Boolean algebra of the subsets of a set, we have a variety of representations in the algebra of binary relations defined on the lattice. Moreover, every representation of an algebraic structure of syllogistic in the binary relation algebra allows to identify corresponding representation of the square of opposition. Moreover, for every syllogistic on an infinite set, there exists such representation in the algebra of binary relations.

This type of representations is of special importance for the study of information, as in contrast to linguistic form of information representation, more general informational structures are diversified by different manifestations of information corresponding to a wide class of lattices serving as logic of information.

4-Tuples of Transformation Semigroups Satisfying Condition of Square of Opposition

FATEMAH AYATOLLAH ZADEH SHIRAZI

University of Tehran, Iran

fatemah@khayam.ut.ac.ir

By a transformation semigroup (X, S, π) (or briefly (X, S)) we mean a compact Hausdorff topological space X , a topological semigroup S with identity e and continuous map $\pi: X \times S \rightarrow X$ ($\pi(x, s) = xs$ ($x \in X, s \in S$)) such that for all $x \in X$ and $s, t \in S$ we have $xe = x$ and $x(st) = (xs)t$. We call transformation semigroup (X, S) minimal if $\overline{xS} = X$ for all $x \in X$. We call transformation semigroup (X, S) point transitive if there exists $x \in X$ with $\overline{xS} = X$. We say 4-tuple $\left(\begin{matrix} (X_1, S_1) & (X_2, S_2) \\ (X_3, S_3) & (X_4, S_4) \end{matrix} \right)$ satisfies condition of square of opposition if:

- 1) $\forall x \in X_1 \quad \overline{xS_1} = X_1$,
- 2) $\forall x \in X_2 \quad \overline{xS_2} \neq X_2$,
- 3) $\exists x \in X_3 \quad \overline{xS_3} = X_3$,
- 4) $\exists x \in X_4 \quad \overline{xS_4} \neq X_4$,

in other words:

- 1) (X_1, S_1) is minimal,
- 2) (X_2, S_2) is not point transitive,
- 3) (X_3, S_3) is point transitive,
- 4) (X_4, S_4) is not minimal.

Let \mathcal{C} denotes the class of all 4-tuples $\left(\begin{matrix} (X_1, S_1) & (X_2, S_2) \\ (X_3, S_3) & (X_4, S_4) \end{matrix} \right)$ of transformation semigroups and \mathcal{S} denotes the class of all 4-tuples $\left(\begin{matrix} (X_1, S_1) & (X_2, S_2) \\ (X_3, S_3) & (X_4, S_4) \end{matrix} \right)$ of transformation semigroups which satisfies condition of square of opposition. It is evident that $\varphi: \mathcal{S} \times \mathcal{S} \rightarrow \mathcal{S}$ with

$$\varphi \left(\left(\begin{matrix} (X_1, S_1) & (X_2, S_2) \\ (X_3, S_3) & (X_4, S_4) \end{matrix} \right), \left(\begin{matrix} (Y_1, T_1) & (Y_2, T_2) \\ (Y_3, T_3) & (Y_4, T_4) \end{matrix} \right) \right) = \left(\begin{matrix} (X_1 \times Y_1, S_1 \times T_1) & (X_2 \times Y_2, S_2 \times T_2) \\ (X_3 \times Y_3, S_3 \times T_3) & (X_4 \times Y_4, S_4 \times T_4) \end{matrix} \right)$$

is well-defined. Here we want to study subclasses of \mathcal{S} which are closed under other operations like

$$\left(\left(\begin{matrix} (X_1, S_1) & (X_2, S_2) \\ (X_3, S_3) & (X_4, S_4) \end{matrix} \right), \left(\begin{matrix} (Y_1, S_1) & (Y_2, S_2) \\ (Y_3, S_3) & (Y_4, S_4) \end{matrix} \right) \right) \mapsto \left(\begin{matrix} (X_1 \times Y_1, S_1) & (X_2 \times Y_2, S_2) \\ (X_3 \times Y_3, S_3) & (X_4 \times Y_4, S_4) \end{matrix} \right)$$

and other generalizations.

Context-Dependent Aristotelian Syllogistics, Closure Structures and Topologized Generalized Quantifiers

HARALD STAMM

Freie Universität Berlin, Germany

`hstamm@zedat.fu-berlin.de`

The aim of my paper is to show that Aristotelian syllogistics is not an outdated affair but can be applied to a number of not so classical topics such as the logic of theory change, typicality and formal epistemology. As a point of departure the universe of discourse is endowed with a structure. With respect to this structure new generalized quantifiers are defined which give rise to new syllogistics, to generalized squares of oppositions. The classical square comes out as a special case. The new quantifiers are given an epistemological interpretation and context-dependent, unstable syllogisms are studied in the light of the phenomenon of theory change. The structure turns out to be a closure structure. By means of topological operators topologized variants of the classical quantifiers are defined. These new quantifiers can be used to model arguments that are based on typicality judgements. The application of notions from lattice theory and topology gives rise to the study of new syllogistics that are more appropriate for modelling natural language reasoning than the classical one.

Interdiction and Silence: a Traditional Reading in the Square of Opposition

FABIO ELIAS VERDIANI TFOUNI

Federal University of Sergipe (UFS), Brazil

fabiottfouni@hotmail.com

This work presents an epistemological and logical investigation about the conditions of possibility for the existence of language. We try to answer the following question: “Why does language exist, instead of nothing?” In order to do this, we deal with both interdiction and silence as constitutive and founders of language, taking into consideration Milner’s assertion: “everything is not said”. In other words: if it were possible to say everything, if an utterance existed which said everything that is to be said, this utterance would be the death of language. It follows that it is necessary that language does not say everything, for anything to be said. Interdiction appears here as an element that cuts off the possibility of saying everything so that something can be said. These statements indicate that the incompleteness of language can be linked to a possible answer to the question proposed above. These issues will be treated through a traditional approach to the square of opposition. It should be noted that interdiction, here, is not the same as prohibited. The notion of interdiction will be explained in the moment of the presentation of this work.

Avaktavyam and Oppositions
MIRAY YAZGAN
University of Istanbul, Turkey

Naive Restricted Quantification

ELIA ZARDINI

University of Aberdeen, UK

`elia.zardini@abdn.ac.uk`

The paper investigates how certain non-classical logics proposed on behalf of naive theories fare with respect to a set of extremely plausible principles of restricted quantification, which prominently include the logical relationships codified by the traditional square of opposition

(under the usual existential assumptions). Pursuing further an approach to the semantic paradoxes that the author has inaugurated and developed elsewhere, the theory of restricted quantification obtainable from a naïve theory which rejects the structural rule of contraction is explored and argued to be superior to those available to other non-classical theories.

Negative Universals: Understanding the Nall Problem

HEDDE ZEIJLSTRA

University of Amsterdam, Netherlands

zeijlstra@uva.nl

An old problem in linguistic theory concerns the (universal) absence of universal quantifiers that are morphologically marked for negation (*nall), whereas such negative prefixation is widely attested for existentials (nobody). A similar observation can be made for connectives: whereas many languages have a word for nor, no language in the world has a word for nand (Horn 1989, Jaspers 2007). In this talk, I argue that all current approaches, which aim at providing a synchronic account, face serious problems and I propose an alternative, diachronic, explanation: even though such negative universals never appear are never lexicalized, there is not formal constraint on them; it is just that in the course of language change, such elements can never be formed as a result of lexical merger of a negation and a universal. In short, I demonstrate that (i) a quantifier nall or a connective nand could only have arrived from a phrase [NEG all] or [NEG and] in a previous stage of the language; and (ii) in such a state a negative marker NEG was only a scope marker, indicating that all/and must be under the scope of negation. Then, finally, I show

that such phrases are hardly attested, since adding such a statement would only weaken the semantics of the sentence without such a marker.

L'application du quaterne INRC sur la logique interpropositionnelle chez Piaget

BENMISSI ZOUBEIDA

Ecole Normale Supérieure Constantine, Algeria

b_zoubeida@yahoo.fr

Piaget a fixé seize connecteurs (opérateurs) logiques qui forment seize opérations interpropositionnelles bien définies (l'affirmation complète, la négation complète, la disjonction exclusive, la disjonction non exclusive ou trilemme, la conjonction,...), et il a reconnu que la théorie de la déduction ne peut être correcte sans l'existence de ces opérations qui font parti d'un système logique propositionnel, dont la base se forme de différentes transformations interpropositionnelles qu'on peut effectuer entre les opérations, en appliquant la dérivation ainsi la réduction, celles ci ne dépendent pas d'une opération ou d'un connecteur propositionnel précis comme le montre Scheffer, ou de deux connecteurs selon Frege, Russell, mais plutôt d'un ensemble de procédures.

Piaget a démontré que ces transformations se font en trois manières distinctes et générales : l'inverse, la réciproque et la corrélatrice, puis il a proposé quatre quaternes inspirés du carré d'Aristote, reliant les différentes opérations et exprimant les différentes transformations.

An Application of Dual Quantifiers

RICHARD ZUBER

CNRS, France

Richard.Zuber@linguist.jussieu.fr

The application of the notion of the dual Q^d of the quantifier Q to the semantics of expressions with *the same*, as in (1) is proposed:

(1) Leo and Lea read the same books.

The basic observation is that if (1) is true then the set of books that Leo and Lea did not read is also the same: (2a) and (2b) have the same truth value:

(2a) The books that Leo and Lea read are the same.

(2b) The books that Leo and Lea did not read are the same.

Furthermore, the union of the set of books read by Leo and Lea with the set of books not read by Leo and Lea equals to the set of all books. This leads directly to the description given in (3) which is equivalent to (4) and (5)

(3) $SAME(X, R) = \{Z : Z \in PL \wedge (Z_{nom}(R) \cap X) \cup (Z_{nom}(R') \cap X) = X\}$, where Z

runs over the set of (plural) type $\langle 1 \rangle$ quantifiers.

(4) $SAME(X, R) = \{Z : X \subseteq Z_{nom}(R) \cap Z_{nom}(R')\}$

(5) $SAME(X, R) = \{Z : Z_{nom}^d(R) \cap X \subseteq Z_{nom}(R) \cap X\}$

Sponsors

- American University of Beirut
- Istituto Italiani di Cultura, Beirut
- Ambassade de France au Liban, Mission Culturelle
- Ambassade Suisse au Liban
- Embassy of Brazil in Beirut, Brasiliban, Centro Cultural Brasil-Líbano
- Sociedade Brasileira de Lógica
- Coconut Constraints, Learning, Agents
- IAOA The International Association for Ontology and its Applications